
REFERENCES

STUDY AND ACQUAINTANCE

- [1] Tchobanoglous G. and Burton F.L. (1991) Advanced wastewater treatment. Wastewater engineering, treatment, disposal, and reuse. McGraw-Hill, Inc., Singapore, 711-726.
- [2] Kuenen J.G. and Robertson L.A. (1988) Ecology of nitrification and denitrification. In J. A. Cole and S. J. Ferguson (ed.) The nitrogen and sulphur cycles. Cambridge University Press, Cambridge, 161-218.
- [3] Hong W.Z., Donald S.M., William K.O. and Frederic A.K. (1999) Controlling factors for simultaneous nitrification and denitrification in a two-stage intermittent aeration process treating domestic sewage. *Wat. Res.* 33(4), 961-970.
- [4] Menoud P., Wong C.H., Robinson H.A., Farquhar A., Barford J.P. and Barton G.W. (1999) Simultaneous nitrification and denitrification using siporaxTM packing. *Wat. Sci. Technol.* 40(4-5), 153-160.
- [5] A. Hirata, M. Noguchi, Biological wastewater treatment by three-phase fluidization characteristics and basic design method, *Water Sci. Technol.* 30 (1994) 91-100.
- [6] S. L. Safferman, P. L. Bishop, Aerobic fluidized bed reactor with internal media cleaning, *J. Environ. Eng.* 122 (1996) 284-291.
- [7] A. Hirata, T. Takemoto, K. Ogawa, J. Auresenia, S. Tsuneda, Evaluation of kinetic parameters of biochemical reaction in three-phase fluidized bed biofilm reactor for wastewater treatment, *Biochem. Eng. J.* 5 (2000) 165-171.
- [8] R. M. Worden, T. L. Donaldson, Dynamics of a biological fixed film for phenol degradation in a fluidized bed bioreactor, *Biotechnol. Bioeng.* 30 (1987) 398-412.
- [9] K. D. Wisecarver, L. S. Fan, Biological phenol degradation in a gas-liquid fluidized bed reactor, *Biotechnol. Bioeng.* 33 (1989) 1029-1038.
- [10] A. Hirata, C. Takahashi, M. Arai, Biological treatment of coke-oven wastewater in three-phase fluidized bed, *Environ. Conservation Eng.* 20 (1991) 183-192.
- [11] A. Hirata, H. S. Lee, S. Tsuneda, T. Takai, Treatment of photographic processing wastewater using anaerobic-aerobic biofilm reactor, *Water Sci. Technol.* 36 (1997) 91-99.
- [12] Lewandowski Z., Lee W.C., Characklis W.G. and Little B. (1989) Dissolved oxygen and pH microelectrode measurements at water immersed metal surfaces. *Corrosion*, 45, 92-98.
- [13] De Beer D., Schramm A., Santegoeds C.M. and Kuhl M. (1997) A nitrite microsensor for profiling environmental biofilms. *Appl. Environ. Microbiol.* 63(3), 973-977.
- [14] Amann R.I., Binder J., Olson R.J., Chisholm S.W., Devereux R. and Stahl D.A.

- (1990a) Combination of 16S rRNA-targeted oligonucleotide probes with flow cytometry for analyzing mixed microbial populations. *Appl. Environ. Microbiol.* 56, 1919-1925.
- [15] Glockner F.O., Fuchs B.M. and Amann R.I. (1999) Bacterioplankton compositions of lakes and oceans: A first comparison based on fluorescence in situ hybridization. *Appl. Environ. Microbiol.* 65(8), 3721-3726.
- [16] Brossa E.L., Mora R.R. and Amann R.I. (1998) Microbial community composition of wadden sea sediments as revealed by fluorescence in situ hybridization. *Appl. Environ. Microbiol.* 64(7), 2691-2696.
- [17] Schramm A., Larsen L.H., Revsbech N.P. and Amann R.I. (1997) Structure and function of a nitrifying biofilm as determined by microelectrodes and fluorescent oligonucleotide probes. *Wat. Sci. Technol.* 36(1), 263-270.
- [18] Okabe S., Satoh H. and Watanabe Y. (1999) In situ analysis of nitrifying biofilms as determined by in situ hybridization and the use of microelectrodes. *Appl. Environ. Microbiol.* 65(7), 3182-3191.
- [19] C. M. Santegoeds, G. Muyzer, D. de Beer, Biofilm dynamics studied with microsensors and molecular techniques, *Water Sci. Technol.* 37[4-5] (1998) 125-129.
- [20] A. Schramm, L/ H. Larsen, N. P. Revsbech, N. B. Ramsing, R. I. Amann, K. H. Schleifer, Structure and function of a nitrifying biofilm as determined by in situ hybridization and use of microelectrode, *Appl. Environ. Microbiol.* 62 (1996) 4641-4647.
- [21] D. de Beer, A. Schramm, C. M. Santegoeds, M. Kuhl, A nitrite microsensor for profiling environmental biofilms, *Appl. Environ. Microbiol.* 63 (1997) 973-977.
- [22] Z. Lewandowski, Notes on biofilm porosity, *Water Res.* 34 (2000) 2620-2624.
- [23] Amann R.I., Krumholz L. and Stahl D.A. (1990b) Fluorescent oligodeoxynucleotide probing of whole cells for determinative, phylogenetic and environmental studies in microbiology. *J. Bacteriol.* 172, 762-770.
- [24] G. Muyzer, N. B. Ramsing, Molecular methods to study the organization of microbial communities, *Water Sci. Technol.* 32[8] (1995) 1-9.
- [25] C. Picioreanu, M. C. M. van Loosdrecht, J. J. Heijnen, Mathematical modeling of biofilm structure with a hybrid differential-discrete cellular automaton approach, *Biotechnol. Bioeng.* 58[1] (1998) 101-116.
- [26] S. Okabe, Y. Oozawa, K. Hirata, Y. Watanabe, Relationship between population dynamics of nitrifiers in biofilms and reactor performance at various C:N ratios, *Water Res.* 30 (1996) 1563-1572.
- [27] Y. Aoi, T. Miyoshi, T. Okamoto, S. Tsuneda, A. Hirata, A. Kitayama, T. Nagamune, Microbial ecology of nitrifying bacteria in wastewater treatment process examined by fluorescence in situ hybridization, *J. Biosci. Bioeng.* 90[3] (2000) 234-240.
- [28] T. C. Zhang, Y. C. Fu, P. L. Bishop, Competition in Biofilms, *Water Sci. Technol.* 29[10-11] (1994) 263-270.
- [29] C. Nicoletta, M. C. M. van Loosdrecht, J. J. Heijnen, Identification of mass transfer parameters in three-phase biofilm reactor, *Chem. Eng. Sci.* 54 (1999) 3143-3152.
- [30] J. Wimpenny, W. Manz, U. Szewzyk, Heterogeneity in biofilms, *FEMS Microbiol. Rev.* 24 (2000) 661-671.
- [31] Williamson K. and McCarty P.L (1976) A model of substrate utilization by bacterial

-
- films. *Water Pollut. Control Fed.* 48(1), 9-24.
- [32] Harremoës P. (1978). Biofilm kinetics in: *Water Pollution Microbiology*. Mitchell (ed.) vol. 2, 71-109, Wiley, N.Y.
- [33] Mueller J. A., Paquin P. and Famularo J. (1980). Nitrification in rotating biological rotators. *Wat. Pollut. Control Fed.*, 52 (4), 688-710.
- [34] Rittmann B. and McCarty P. (1980a). Model of steady state biofilm kinetics. *Biotechnol. Bioeng.*, 22, 2343-2357.
- [35] Rittmann B. and McCarty P. (1980b). Evaluation of steady state biofilm kinetics. *Biotechnol. Bioeng.*, 22, 2359-2373.
- [36] Kissel J.C., McCarty P.L. and Street R. L. (1984). Numerical simulation of mixed culture biofilm. *J. Env. Engin.*, 110(2), 393-412.
- [37] Wanner O and Reichert P. (1996). Mathematical modelling of mixed-culture biofilms. *Biotechnol. Bioeng.*, 49(2), 172-184.
- [38] Rittmann B. E. and Manem, J. A. (1992). Development and experimental evaluation of a steady-state, multispecies biofilm model, *Biotechnol. Bioeng.*, 39, 914-922.
- [39] Lewandowski Z., Stoodley P., Atobelli S. and Fukushima E. (1994). Hydrodynamics and kinetics in biofilm systems-recent advances and new problems. *Wat. Sci. Tech.*, 29(1011), 223-229.
- [40] Zhang T.C. and Bishop P.L. (1994). Density, porosity and pore structure of biofilms. *Wat. Res.*, 28(11), 2267-2277.
- [41] Bishop P. (1997). Biofilm structure and kinetics. *Wat. Sci. Tech.*, 36(1), 287-294.
- [42] Wanner O. and Gujer, W. (1986). A multispecies biofilm model, *Biotechnol. Bioeng.* 28, 314-328.
- [43] Rauch W., Vanhooren H. and Vanrolleghem P. (1998). A simplified mixed-culture biofilm model. *Wat. Res.*, 39(9), 2148-2162.
- [44] Holmberg A. and Ranta J. (1982). Procedures for parameter and state estimation of microbial growth process models. *Automatica.* 18(2), 181-193.
- [45] Fink D. J., Na T.Y. and Schults J.S. (1973). Effectiveness factor calculations for immobilized enzyme catalyst. *Biotechnol. Bioeng.*, 15, 879-888.
- [46] Grady C. P. L., Daigger G., and Lim H. C. (1999). *Biological Wastewater Treatment* 2nd ed., Marcel Dekker Inc. New York, USA.
- [47] Saez P., Rittmann, B. (1988). Improved pseudoanalytical solutions for steady-state biofilm kinetics. *Biotechnol. Bioeng.*, 32, 379-385.
- [48] Heath M. S., Wirtel S. A. and Rittmann B. E. (1990). Simplified design of biofilm process using normalized loading curves. *Research Journal, Water Pollution Control Federation*, 62, 185-192.
- [49] Rittmann B. E., Crawford L., Tuck C. and Namkung E. (1986). In situ determination of kinetic parameters for biofilms: isolation and characterization of oligotrophic biofilms. *Biotechnol. Bioeng.*, 28, 1753-1760.
- [50] Borse. G.J., (1997). *Numerical Methods with MATLAB*, PWS Publishing Company, Boston MA.
- [51] Reichert P.(1994). AQUASIM, a tool for simulation and data analysis for aquatic systems, *Wat. Sci Tech.* 30(2), 21-30.
-

-
- [52] Horn H. and Hempel D.(1996). Substrate utilization and mass transfer in an autotrophic biofilm system: experimental results and numerical simulation. *Biotechnol. Bioeng.*, 53(4), 363-371.
- [53] Horn H. and Hempel D. (1997). Growth and decay in an auto/heterotrophic biofilm. *Wat. Res.*, 31(9), 2242-2252.
- [54] A. Hirata, T. Takemoto, K. Ogawa, J. Aurensenia, S. Tsuneda, Evaluation of kinetic parameters of biochemical reaction in threephase fluidized bed biofilm reactor for wastewater treatment, *Biochem. Eng. J.* 5 (2000) 165–171.
- [55] W.T. Tang, K. Wisecarver, L.S. Fan, Dynamics of a draft tube gas–liquid–solid fluidized bed bioreactor for phenol degradation, *Chem. Eng. Sci.* 42 (1987) 2123–2134.
- [56] J. Aurensenia, K. Hibiya, S. Tsuneda, A. Hirata, Kinetic equation for simultaneous oxidation of total organic carbon and ammonium–nitrogen in three-phase fluidized bed biofilm reactor, in: *Proceedings of the IAWQ Conference on Biofilm System, 1999*, in CD-ROM.
- [57] W.C. Ying, A.E. Humphrey, Biophysicochemical adsorption model systems for wastewater treatment, *J. Water Pollut. Con. Fed.* 51 (1979) 2661–2667.
- [58] G.F. Andrews, C. Tien, Bacterial film growth on adsorbent surface, *AIChE J.* 27 (1981) 396–403.
- [59] S.C.P. Wang, C. Tien, Bilayer film model for interaction between adsorption and bacterial activity in granular activated carbon columns, *AIChE J.* 30 (1984) 786–801.
- [60] R.M. Worden, T.L. Donaldson, Dynamics of a biological fixed film for phenol degradation in a fluidized-bed bioreactor, *Biotechnol. Bioeng.* 30 (1987) 398–412.
- [61] A. Hirata, Y. Hosaka, H. Umezawa, Characteristics of simultaneous utilization of oxygen and substrate in a three-phase fluidized bed bioreactor, *J. Chem. Eng. Jpn.* 23 (1990) 303–307.
- [62] A. Hirata, M. Noguchi, Biological wastewater treatment by three-phase fluidization—characteristics and basic design method, *Water Sci. Technol.* 30 (1994) 91–100.
- [63] A.W. Decho, G.R. Lopez, Exopolymer microenvironments of microbial flora: multiple and interactive effects on trophic relationships, *Limnol. Oceanogr.* 38 (1993) 1633–1645.
- [64] C. Freeman, M.A. Lock, The biofilm polysaccharide matrix: a buffer against changing organic substrate supply, *Limnol. Oceanogr.* 40 (1995) 273–278.
- [65] W. Lee, K. Saitoh, S. Furusaki and T. Sugo, *Biotechnol. Bioeng.*, 53 (1997) 523.
- [66] Tsuneda S., Saito K., Furusaki S., Sugo T. and Ishigaki I. (1992). Water/acetone permeability of porous hollow-fiber membrane containing diethylamino groups on the grafted polymer branches. *J. Memb. Sci.*, 71 (1-2), 1-12.
- [67] Bishop P.L. and Yu T. (1999) A microelectrode study of redox potential change in biofilm. *Wat. Sci. Technol.* 39(7), 179-185.
- [68] Casey E., Glennon B. and Hamer G. (1999b) Review of membrane aerated biofilm reactors. *Resources, Conservation and Recycling* 27, 203-215.
- [69] Hibiya K., Tsuneda S. and Hirata A. (2000) Formation and characteristics of nitrifying biofilm on a membrane modified with positively-charged polymer chains. *Colloids and Surfaces B: Biointerfaces* 18(2), 105-112.
-

-
- [70] Debus O. (1995) Transport and reaction of aromatics, O₂ and CO₂ within a membrane bound biofilm in competition with suspended biomass. *Wat. Sci. Technol.* 31(1), 129-141.
- [71] Debus O., Baumgaertl H. and Sekoulov I. (1994) Influence of fluid velocities on the degradation of volatile aromatic compounds in membrane bound biofilms. *Wat. Sci. Technol.* 29(10-11), 253-62.
- [72] Wobus A. and Roske I. (2000) Reactors with membrane-grown biofilms: their capacity to cope with fluctuating inflow conditions and with shock loads of xenobiotics. *Wat. Res.* 34(1), 279-287.
- [73] Casey E., Glennon B. and Hamer G. (1999a) Oxygen mass transfer characteristics in a membrane-aerated biofilm reactor. *Biotechnol. Bioeng.* 62(2), 183-192.
- [74] Woolard C.R. and Irvine R.L. (1994) Biological treatment of hypersaline wastewater by a biofilm of halophilic bacteria. *Wat. Environ. Res.* 66, 230-235.
- [75] Brindle K. and Stephenson T. (1996) The application of membrane biological reactors for the treatment of wastewaters. *Biotechnol. Bioeng.* 49, 601-610.
- [76] Yamagiwa K., Yoshida M., Ito A. and Ohkawa A. (1998) A new oxygen supply method for simultaneous organic carbon removal and nitrification by a one-stage biofilm process. *Wat. Sci. Technol.* 37(4-5), 117-124.
- [78] Amann R.I. (1995) In situ identification of microorganisms by whole cell hybridization with rRNA-targeted nucleic acid probes. In: *Molecular microbial ecology manual* 3.3.6. Kluwer Academic Publishers, Dordrecht, pp. 1-15.
- [79] Mobarry B.K., Wagner M., Urbain V., Rittmann B.E. and Stahl D.A. (1996) Phylogenetic probe for analyzing abundance and spatial organization of nitrifying bacteria. *Appl. Environ. Microbiol.* 62, 2156- 2162.
- [80] Suzuki Y., Hatano N., Ito S. and Ikeda H. (2000) Performance of nitrogen removal and biofilm structure of porous gas permeable membrane reactor. *Wat. Sci. Technol.* 41(4-5), 211-217.
- [81] Tsuneda S., Endo T., Saito K., Sugita K., Horie K., Yamashita T. and Sugo T. (1998) Fluorescence study on the conformational change of an amino group-containing polymer chain grafted onto a polyethylene microfiltration membrane. *Macromolecules* 31(2), 366-370.
- [82] Auresenia J., Morise T., Tsuneda S. and Hirata A. (1998). Reaction rate equations and kinetic parameters from batch experiments on three-phase fluidized bed biofilm reactor for wastewater treatment. *Proceedings of the Regional Symposium on Chemical Engineering, Manila, Philippines*, 31-38.
- [83] Chen K.C., Lee S.C., Chin S.C. and Hounq J.Y. (1998) Simultaneous carbon-nitrogen removal in wastewater using phosphorylated PVA-immobilized microorganisms. *Enzyme and Microbial Technol.* 23, 311-320.
- [84] P. S. Stewart, A review of experimental measurements of effective diffusive permeabilities and effective diffusion coefficients in biofilms. *Biotechnol. Bioeng.* 59 (1998) 261-272.
- [85] L. S. Fan, R. Leyva-Ramos, K. D. Wisecarver, B. J. Zehner, Diffusion of phenol through a biofilm growth on activated carbon particles in a draft tube three-phase fluidized
-

- bed bioreactor, *Biotechnol. Bioeng.* 35 (1990) 279-286.
- [86] M. Higa, A. Tanioka and K. Miyasaka, *J. Mem. Sci.* 49 (1990) 145.
- [87] R. H. Perry and C. H. Chilton, *Chemical Engineers Handbook*, McGraw-Hill, New York, 1973
- [88] N. Araki, K. Yazawa and H. Harada, *J. Japan Society on Wat. Environ.*, 22 (1999) 600.
- [89] M. Matsumura, T. Yamamoto, P. Wang, K. Shinabe and K. Yasuda, *Wat. Res.*, 31 (1997) 102